



USB Type-C to 2.5G Gigabit Ethernet Adapter

EU-4307

FEATURES

- **USB-C Compatible:** Works with the latest computers and smart devices with USB-C ports.
- **Super Speed Data Transfer:** Up to 100M/1Gbps / 2.5Gbps data speeds.
- **Portable, Lightweight Design:** For travel or desktop placement.
- Specially designed for power saving.
- **Three LED Indicators:** For easy to glance internet status and troubleshooting indicator.
- Great upgrade for online gaming and online streaming.
- **Simple Installation:** Supports plug and play, no external drivers required .

OVERVIEW

The EU-4307 USB Type-C to 2.5G Gigabit Ethernet Adapter is the best ideal for latest devices without an onboard Ethernet port. Instantly add network connectivity to a computer with USB-C for extremely fast and secure file transfers or streaming downloads.

USB Type-C Connector

Plug the Type-C connector into your Type-C enabled PC/laptop, for a strong, stable Ethernet cable connection.

Lightning-Fast Wired Connection

Obtain stable Gigabit Ethernet connection speeds up to 2.5Gbps.

Plug and Play

If your smart device is missing the Ethernet port you need, the EU-4307 can help. It gives you access to a ultra-fast wired Gigabit Ethernet port internet connection, so you can connect to a network in locations where Wi-Fi is unreliable or unavailable.

Works with Mainstream Operating System

The EU-4307 supports mainstream operating systems, including Windows, Mac OS. There are no compatibility restrictions when using the EU-4307 with your latest smart devices.

Great For Online Games and Live Streaming

Speed and stability is the key to victory when it comes to online gaming. Expand your connection speed and experience a lag-free environment on your laptop or PC, for gaming and live streaming alike.

SPECIFICATIONS

HARDWARE	
Interface	<ul style="list-style-type: none"> • 1 x USB 3.1 type C • 1 x RJ-45 100M/1000M/2.5Gbps LAN port
LED Indicator	<ul style="list-style-type: none"> • PWR: Green LED • Off: power off or fail • On: power on • 100M/1000M Speed: <ul style="list-style-type: none"> - Off: disconnected or fail - Green: 100M/1000Mbps connected - Blinking: data transmitting • 2.5G Speed: Green LED <ul style="list-style-type: none"> - Off: disconnected or fail - Green: 2.5Gbps connected - Blinking: data transmitting
Connector	<ul style="list-style-type: none"> • USB Type-C
Dimension	<ul style="list-style-type: none"> • 85(L) x 31.3(W) x 14.5(D) mm • 3.35(L) x 1.23(W) x 0.57(D) inch
Weight	<ul style="list-style-type: none"> • 30 g
Power Consumption	<ul style="list-style-type: none"> • 1A @5.0VDC (USB Bus Powered)
Standards	Support USB3.1/3.0/2.0/1.1 compliant IEEE802.3 10BASE-T IEEE802.3u 100BASE-TX IEEE802.3ab 1000BASE-T IEEE802.3bz 2.5GBASE-T IEEE802.1p IEEE802.1Q Flow control (IEEE802.3 Annex31B)
Jumbo frame	16KB
OTHERS	
Certification	<ul style="list-style-type: none"> • CE, FCC, RoHS
System Requirements	<ul style="list-style-type: none"> • Intel Pentium III 1GHz (or above) • 256MB RAM / 100MB Hard Disk Space (at least) / USB-C Port • Windows 7/8/8.1/10, Mac OS 10.6-10.13
Environment	<ul style="list-style-type: none"> • Operating Temperature: 0°C~40°C (32°F ~104°F) • Storage Temperature: -40°C~70°C (-4°F ~158°F)

Maximum performance, actual data rates, and coverage will vary depending on network conditions and environmental factors. Product specifications and design are subject to change without notice.
 Copyright © 2019 Edimax Technology Co. Ltd. All rights reserved.

www.edimax.com 2