

EU-4307

Schnellinstallationsanleitung

06-2019 / v1.0

Edimax Technology Co., Ltd.

No. 278, Xinhua 1st Rd., Neihu Dist., Taipei City, Taiwan

Email: support@edimax.com.tw

Edimax Technology Europe B.V.

Fijenhof 2, 5652 AE Eindhoven, The Netherlands

Email: support@edimax.nl

Edimax Computer Company

3444 De La Cruz Blvd., Santa Clara, CA 95054, USA

Live Tech Support: 1(800) 652-6776

Email: support@edimax.com

I. Produktinformationen

I-1. Verpackungsinhalt



USB-C- zu 2,5G Gigabit-Ethernet-Adapter

Schnellinstallationsanleitung

I-2. Systemanforderungen

- Intel Premium III 1GHz (oder höher)
- 256MB RAM/CD-ROM / 100MB Festplattenspeicher (mindestens) / 100MB Festplattenspeicher (mindestens) / USB-C-Port
- Windows 7/8/8.1/10, Mac OS 10.6 – 10.10 oder höher

I-3. Sicherheit

Um den sicheren Betrieb des Geräts und seiner Benutzer zu gewährleisten, lesen und befolgen Sie bitte die folgenden Sicherheitsanweisungen.


- 1.** Der USB Fast Ethernet Adapter ist nur für die Anwendung im Haus geschaffen; benutzen Sie den USB Fast Ethernet Adapter nicht im Freien.
- 2.** Stellen Sie den USB Fast Ethernet Adapter nicht in der Nähe von heißen/feuchten Stellen wie in der Küche oder im Bad auf.
- 3.** Der USB Fast Ethernet Adapter enthält kleine Teile, die für kleine Kinder unter 3 Jahren eine Gefahr darstellen. Bewahren Sie den USB Fast Ethernet Adapter außerhalb der Reichweite von Kindern auf.
- 4.** Im USB Fast Ethernet Adapter befinden sich keine Teile, die vom Benutzer zu warten sind. Wenn es mit dem USB Fast Ethernet Adapter Probleme gibt, wenden Sie sich bitte an Ihren Händler und bitten ihn um Hilfe.
- 5.** Der USB Fast Ethernet Adapter ist ein elektrisches Gerät, und wenn er als solches aus irgendeinem Grund nass wird, hören Sie sofort auf, ihn zu benutzen. Bitten Sie einen erfahrenen Elektriker um weitere Hilfe.

II. Installation

1. Schalten Sie Ihren Computer an und stecken den Ethernet Adapter in einen freien USB-Anschluss vom Typ C Ihres Computers.



Wenden Sie niemals Gewalt an, um den USB-Adapter einzustecken.



2. **Mac**-Benutzer können den Treiber hier auf ihren Computer herunterladen: <https://www.edimax.com/download>. Für **Windows**-Benutzer installiert der integrierte Einrichtungsassistent den Treiber automatisch.
3. Bitte befolgen Sie die Anweisungen im entsprechenden Kapitel für Ihr Betriebssystem.

II-1. Windows

Treiber-Installation

1. Stecken den Ethernet Adapter in einen freien USB-C-Anschluss Ihres Computers. Führen Sie das Installationsprogramm durch Doppelklicken aus.

CD Drive (F:) RTL_UL

Choose what to do with this disc.

Install or run program from your media



Run RTK_NIC_DRIVER_INSTALLER.sfx.exe
Published by Realtek Semiconductor Corp.

Other choices




Open folder to view files
File Explorer



Take no action


2. Der Treiber wird daraufhin automatisch installiert. Wenn Sie die Computerverwaltung öffnen und auf „Systemprogramme“, „Geräte-Manager“ und „Netzwerkadapter“ klicken, erscheint dort „**Realtek Gaming USB 2.5GbE Family Controller**“, wenn der Treiber erfolgreich installiert wurde.





II-2. Mac OS



Treiber-Installation

1. Geben Sie in die Ordner MAC OS 10.6 bis 10.13 und klicken Sie auf „**RTUNICvx.x.x.pkg**“ („x.x.x“ ist die Versionsnummer des Treibers). Daraufhin erscheint der folgende Dialog zur Treibereinrichtung. Klicken Sie auf „Continue“ (Weiter), um die Installation zu starten, und folgen Sie den entsprechenden Anweisungen.




2. Klicken Sie auf „Continue“ (Weiter), um zur Read Me-Schnittstelle zu gelangen, wählen Sie die Sprache aus, akzeptieren Sie die Softwarelizenzvereinbarung und setzen Sie den Installationsprozess dann fort.







3. Eventuell müssen Sie während der Treiberinstallation Ihren Benutzernamen/Ihr Passwort eingeben.



4. Klicken Sie auf „Continue Installation“ (Installation fortsetzen), um den Installationsprozess fortzusetzen.




5. Klicken Sie auf „Restart“ (Neustart), um Ihr Mac OSX-System neu zu starten und die Installation abzuschließen.




6. Stecken Sie nach dem Hochfahren Ihres Mac OSX-Systems Ihren EU-4307 USB-Dongle in den USB-C-Anschluss Ihres Mac OSX-Systems. Beachten Sie die folgenden Hinweise, um erneut zu überprüfen, ob der USB-Dongle richtig von Ihrem Mac OSX-System erkannt wurde und ob der Treiber korrekt installiert wurde.

- (1) Hier können Sie die Informationen zum Händler/zur Produktnummer Ihres USB-Dongles überprüfen.




- (2) Sie können die Informationen zur installierten Version des RTUNIC Mac OSX-Treibers durch Ausführen des Befehls „kextstat“ überprüfen.

7. Wählen Sie dazu das Apple-Menü, Systemeinstellungen, und klicken Sie dann auf Netzwerk. Wählen Sie die neue Netzwerkschnittstelle „RTUNIC USB 3.1 to Gigabit Ethernet“ und drücken Sie auf „Create“ (Erstellen), gefolgt von „Apply“ (Übernehmen), damit die neue Netzwerkschnittstelle übernommen wird.



8. Der neue Treiber für „RTUNIC USB 3.1 to Gigabit Ethernet“ sollte dann einsatzbereit sein.



COPYRIGHT

Copyright © Edimax Technology Co., Ltd. all rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission from Edimax Technology Co., Ltd.

Edimax Technology Co., Ltd. makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims any warranties, merchantability, or fitness for any particular purpose. Any software described in this manual is sold or licensed as is. Should the programs prove defective following their purchase, the buyer (and not this company, its distributor, or its dealer) assumes the entire cost of all necessary servicing, repair, and any incidental or consequential damages resulting from any defect in the software. Edimax Technology Co., Ltd. reserves the right to revise this publication and to make changes from time to time in the contents hereof without the obligation to notify any person of such revision or changes.

The product you have purchased and the setup screen may appear slightly different from those shown in this QIG. The software and specifications are subject to change without notice. Please visit our website www.edimax.com for updates. All brand and product names mentioned in this manual are trademarks and/or registered trademarks of their respective holders.

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna.
2. Increase the separation between the equipment and receiver.
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
4. Consult the dealer or an experienced radio technician for help.

FCC Caution

This device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate equipment.

Federal Communications Commission (FCC) Radiation Exposure Statement

This equipment complies with FCC radiation exposure set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 2.5cm (1 inch) during normal operation.

Federal Communications Commission (FCC) RF Exposure Requirements

This EUT is compliance with SAR for general population/uncontrolled exposure limits in ANSI/IEEE C95.1-1999 and had been tested in accordance with the measurement methods and procedures specified in OET Bulletin 65 Supplement C. The equipment version marketed in US is restricted to usage of the channels 1-11 only. This equipment is restricted to *indoor* use when operated in the 5.15 to 5.25 GHz frequency range.

R&TTE Compliance Statement

This equipment complies with all the requirements of DIRECTIVE 1999/5/EC OF THE EUROPEAN PARLIAMENT AND THE COUNCIL of March 9, 1999 on radio equipment and telecommunication terminal equipment and the mutual recognition of their conformity (R&TTE). The R&TTE Directive repeals and replaces in the directive 98/13/EEC (Telecommunications Terminal Equipment and Satellite Earth Station Equipment) As of April 8, 2000.

Safety

This equipment is designed with the utmost care for the safety of those who install and use it. However, special attention must be paid to the dangers of electric shock and static electricity when working with electrical equipment. All guidelines of this and of the computer manufacture must therefore be allowed at all times to ensure the safe use of the equipment.

EU Countries Intended for Use

The ETSI version of this device is intended for home and office use in Austria, Belgium, Bulgaria, Cyprus, Czech, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Turkey, and United Kingdom. The ETSI version of this device is also authorized for use in EFTA member states: Iceland, Liechtenstein, Norway, and Switzerland.

EU Countries Not Intended for Use

None

EU Declaration of Conformity

- English:** This equipment is in compliance with the essential requirements and other relevant provisions of Directive 2014/30/EU, 2014/35/EU.
- Français:** Cet équipement est conforme aux exigences essentielles et autres dispositions de la directive 2014/30/EU, 2014/35/EU.
- Čeština:** Toto zařízení je v souladu se základními požadavky a ostatními příslušnými ustanoveními směrnic 2014/30/EU, 2014/35/EU.
- Polski:** Urządzenie jest zgodne z ogólnymi wymaganiami oraz szczególnymi warunkami określonymi Dyrektywą UE 2014/30/EU, 2014/35/EU.
- Română:** Acest echipament este în conformitate cu cerințele esențiale și alte prevederi relevante ale Directivei 2014/30/EU, 2014/35/EU.
- Русский:** Это оборудование соответствует основным требованиям и положениям Директивы 2014/30/EU, 2014/35/EU.
- Magyar:** Ez a berendezés megfelel az alapvető követelményeknek és más vonatkozó irányelveknek (2014/30/EU, 2014/35/EU).
- Türkçe:** Bu cihaz 2014/30/EU, 2014/35/EU. direktifleri zorunlu istekler ve diğer hükümlerle ile uyumludur.
- Українська:** Обладнання відповідає вимогам і умовам директиви 2014/30/EU, 2014/35/EU.
- Slovenčina:** Toto zariadenie spĺňa základné požiadavky a ďalšie príslušné ustanovenia smerníc 2014/30/EU, 2014/35/EU.
- Deutsch:** Dieses Gerät erfüllt die Voraussetzungen gemäß den Richtlinien 2014/30/EU, 2014/35/EU.
- Español:** El presente equipo cumple los requisitos esenciales de la Directiva 2014/30/EU, 2014/35/EU.
- Italiano:** Questo apparecchio è conforme ai requisiti essenziali e alle altre disposizioni applicabili della Direttiva 2014/30/EU, 2014/35/EU.
- Nederlands:** Dit apparaat voldoet aan de essentiële eisen en andere van toepassing zijnde bepalingen van richtlijn 2014/30/EU, 2014/35/EU.
- Português:** Este equipamento cumpre os requisitos essenciais da Directiva 2014/30/EU, 2014/35/EU.
- Norsk:** Dette utstyret er i samsvar med de viktigste kravene og andre relevante regler i Direktiv 2014/30/EU, 2014/35/EU.
- Svenska:** Denna utrustning är i överensstämmelse med de väsentliga kraven och övriga relevanta bestämmelser i direktiv 2014/30/EU, 2014/35/EU.
- Dansk:** Dette udstyr er i overensstemmelse med de væsentligste krav og andre relevante forordninger i direktiv 2014/30/EU, 2014/35/EU.
- suomen kieli:** Tämä laite täyttää direktiivien 2014/30/EU, 2014/35/EU. oleelliset vaatimukset ja muut asiaankuuluvat määräykset.

FOR USE IN



WEEE Directive & Product Disposal



At the end of its serviceable life, this product should not be treated as household or general waste. It should be handed over to the applicable collection point for the recycling of electrical and electronic equipment, or returned to the supplier for disposal.

Declaration of Conformity

We, Edimax Technology Co., Ltd., declare under our sole responsibility, that the equipment described below complies with the requirements of the European R&TTE directives.

Equipment: USB 3.1(Type C) to 2.5 Giga ethernet Port NIC
Model No.: EU-4307

The following European standards for essential requirements have been followed:

Directives 2014/30/EU

EN 55032:2015+AC:2016 Class B

EN 55035:2017

EN 61000-4-2:2009

EN 61000-4-3:2006+A1:2008+A2:2010

EN 61000-4-4:2012

EN 61000-4-5:2014+A1:2017

EN 61000-4-6:2014

EN 61000-4-8:2010

EN 61000-4-11:2004+A1:2017

Directives 2014/35/EU

Safety (LVD) : IEC 60950-1:2005 (2nd Edition)+Am 1:2009+Am 2:2013
EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013

Edimax Technology Europe B.V.
Fijenhof 2,
5652 AE Eindhoven,
The Netherlands

a company of :
Edimax Technology Co., Ltd.
No. 278, Xinhua 1st Rd.,
Neihu Dist., Taipei City,
Taiwan

Signature:

Printed Name: David Huang
Title: Director



Date of Signature: June, 2019

Signature:

Printed Name:

Albert Chang

Title:

Director

Edimax Technology Co., Ltd.