






SEC-VGA11 VIDEO TO VGA CONVERTER



OR



Operation Controls and Function:



MEN: Menu(OSD)

●: Contrast

☀: Brightness

▲ ▼: Screen

Menu ----- | ---- Resolution

| ---- Frequency

| ---- Hue

| ---- Saturation

| ---- Contrast

| ---- Brightness

Specifications:

Input: 1x Composite video BNC

Output: 1x VGA 0.7 Vp-p RGB, 15 pin DB, 1x Composite video BNC

Video format: PAL

Frequency (VGA): 60Hz to 85Hz

Resolution (VGA):

640x480/800x600/1024x768/1280x1024

Power consumption: 400mA

Power supply: DC5V 1A regulated

Dimension: 132x76x44mm

Housing: metal

Weight: 450g.

Declaration of conformity:

We, Nedis B.V., De Tweeling 28, 5215MC,

's-Hertogenbosch, The Netherlands,

Tel.: 0031 73 599 1055, Email: info@nedis.com

Declare that product:

König Security, SEC-VGA11, Video to VGA converter

Is in conformity with the following standards:

EN 55022: 2006+A1:2007 EN 61000-3-2:2006

EN 61000-3-3:2008, EN 55024:1998+A2:2003

EN 60950-1:2006. Following the provisions of the

EMC 2004/108/EC & LVD 2006/95/EC Directive.

's-Hertogenbosch, 15-4-2010

Mrs. J. Gilad

Purchase Director



Safety precautions:

To reduce risk of electric shock, this product should ONLY be opened by an authorized technician if service is required. Disconnect the product from mains and other equipment if a problem should occur.

Warranty:

No guarantee or liability can be accepted for any changes and modifications of the product or damage caused due to incorrect use of this product.

General:

Designs and specifications are subject to change without a notice.

**Attention:**

This product is marked with this symbol. It means that used electrical and electronic products should not be mixed with general household waste. There is a separate collections system for these products.