

Weller®

WXP 65 Intelligent Soldering Iron with 65 Watts



NEW

Maximum performance at lowest running costs

Achieve a maximum performance with only 65 Watts! Due to this new and intelligent soldering tool WXP 65. It is THE convenient tool for delicate soldering jobs where high temperature is required. The soldering iron WXP 65 is perfect for keeping running costs as low as possible. The new XNT soldering tips with “Fast Response” technology are available at a fair price.



Intelligent soldering iron

Parameter memory read in the grip for saving the most important data on the iron. Adjustment of the soldering station is not needed.




Slim, ergonomic soldering iron

This soldering iron is comfortable to handle and is very easy to use.



Image similar


optimized sensor position



XNT-“Fast Response” soldering tips

The new soldering tips series for optimum performance. And the best: due to fair soldering tip prices the running cost will stay as low as possible.

- Improved heat transfer
- Soldering tip with optimized sensor position
- Fast recovery time



Actual status easy to see

The blue ring light shows the status of the iron

- | | |
|--------------------|--------------------------------------|
| Blue: | Iron has reached working temperature |
| Light is blinking: | Standby or Heating Up |
| Light is off: | Iron is off |



Soldering iron WXP 65 Set
(Order-no.T005 29 212 99)

T005 29 211 99	Soldering iron WXP 65 (65 W; 24V)
T005 15 121 99	Safety rest WDH 10
T005 44 851 99	Soldering tip XNT A, ø 1,6 mm

**Soldering tip series XNT (End-Nr. 99 XNT Soldering tip single packaged
End-no. 10 XNT Soldering tips (pack. of 10))**

Order-no.	Order-no.	Model	Description	Dimensions
T005 44 850 99	T005 44 850 10	XNT 1	Round	ø 0,5 mm
T005 44 851 99	T005 44 851 10	XNT A	Chisel	1,6 mm
T005 44 852 99	T005 44 852 10	XNT 1S	Round slim	ø 0,2 mm
T005 44 853 99	T005 44 853 10	XNT D	Chisel	4,0 mm
T005 44 854 99	T005 44 854 10	XNT GW	Gull wing	
T005 44 855 99	T005 44 855 10	XNT 4	Round, sloped 45°	ø 1,2 mm
T005 44 856 99	T005 44 856 10	XNT 6	Chisel	1,6 mm
T005 44 857 99	T005 44 857 10	XNT B	Chisel	2,4 mm
T005 44 858 99	T005 44 858 10	XNT C	Chisel	3,2 mm
T005 44 859 99	T005 44 859 10	XNT H	Chisel	0,8 mm
T005 44 860 99	T005 44 860 10	XNT K	Chisel	1,2 mm
T005 44 862 99	T005 44 862 10	XNT 1SC	Chisel slim	0,4 x 0,15 mm
T005 44 863 99	T005 44 863 10	XNT KN	Knife	2,0 mm

Weller Tools GmbH
 Carl-Benz-Straße 2
 74354 Besigheim, Germany
 Phone: +49 (0) 7143 580-0
 Fax: +49 (0) 7143 580-108
www.weller-tools.com

Weller®