

## RefLED R63

REFLED R63 V3 630LM 830 E27 BL

0026332



### Product features

- Energy efficient LED alternative for traditional incandescent and halogen blown reflector lamp
- Modern construction and attractive design
- Mercury free solution
- Long average rated lifetime: 15,000 hours
- Lower maintenance cost compared to traditional lamps
- Non-dimmable
- 3 years warranty
- Perfect for general lighting applications: residential lighting, down lights, hotels, hotels, restaurants, bars, lobbies, corridors, halls, etc



## PRODUCT OVERVIEW

Product name	REFLED R63 V3 630LM 830 E27 BL
Technology	LED
Watt (Rated) (W)	7
Type	RefLED R63 V2
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
Warranty	3 years
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Colour Consistency (SDCM)	6
Beam Angle (°)	120
Wattage (W)	7
Product Voltage (V)	230
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288263328

## DATA TABLE

### General data

Product name	REFLED R63 V3 630LM 830 E27 BL
Technology	LED
Watt (Rated) (W)	7
Type	RefLED R63 V2
Cap/Base	E27
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25

## RefLED R63

REFLED R63 V3 630LM 830 E27 BL

0026332

ETIM Class	EC001959
Warranty	3 years

### Optical data

Rated Luminous Flux Useful (lm)	630
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Colour Consistency (SDCM)	6
Rated Luminous Intensity (cd)	187
Beam Angle (°)	120

### Electrical data

Wattage (W)	7
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	2
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.5
No. Of switching cycles before premature failures	>50000
Dimmable	No
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	7
Nominal Frequency (Hz)	50/60Hz

### Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

### Physical data

Nominal Product Length (mm)	97
Nominal Product Diameter (mm)	63
Weight (kg)	0.07

### Packaging

Single packaging type	Mix blister(20% carton, 80% pl)
Product EAN number	5410288263328
Packaging single length / height (cm)	10.0
Packaging single width (cm)	6.3
Packaging single depth (cm)	6.3
DUN14 (inner)	25410288263322
Units per inner package	10
Packaging inner length / height (cm)	32.5
Packaging inner width (cm)	13.3
Packaging inner depth (cm)	10.6
DUN14 (outer)	15410288263325

## RefLED R63

REFLED R63 V3 630LM 830 E27 BL

0026332

Units per outer package	100
Packaging outer length / height (cm)	69.0
Packaging outer width (cm)	34.0
Packaging outer depth (cm)	23.0

### Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures

